



# CENTRE OF EXCELLENCE IN MICROBIOME

An initiative of the Govt. of Kerala under KSCSTE

KINFRA Film and Video Park, Chanthavila, Kazhakoottam, Thiruvananthapuram, Kerala 695585, India.

## NOTICE INVITING QUOTATION

<b>Quotation Number</b>	<b>CoEM/Purchase/Misc/Non-Con/2026/04-QTN</b>
<b>Date of publishing the Quotation</b>	15/05/2026
<b>Due date and time for receipt of quotations</b>	23/05/2026; 10:30 AM
<b>Date and time for opening of quotations</b>	23/05/2026; 12:30 PM
<b>Designation and address of officer to whom the quotation is to be addressed</b>	<b>The Director</b> Centre of Excellence in Microbiome, First floor- RGCB Bio Innovation Center, KINFRA Film & Video Park, Chanthavila, Kazhakoottam, Thiruvananthapuram, Kerala – 695585
<b>Superscription: Quotation for electrical appliances and utensils</b>	

Sealed quotations are invited from REPUTED AGENTS/ SUPPLIERS, preferably from Kerala, for the supply of the materials specified in the schedule attached below/overleaf for the use of Centre of Excellence in Microbiome.

### GENERAL TERMS AND CONDITIONS

- Period of Delivery: Within 15 days from the date of supply order at the **Centre of Excellence in Microbiome, First floor- RGCB Bio Innovation Center, KINFRA Film & Video Park, Chanthavila, Kazhakoottam, Thiruvananthapuram, Kerala – 695585.**
- The quoted rates should be inclusive of GST, freight, handling, loading, unloading, installation, testing and training etc.
- The bidder should have valid GST registration and the same must be mentioned in the quotation.
- The bidders must submit the quotations and technical compliance statement as per the format attached as **Annexure I (Part A and Part B)** and the undertaking as per **Annexure II** on their own papers/letter head with seal and sign. The technical details such as make, model, catalogue number, drawings/pamphlets etc. so as to confirm that the offered product is meeting the technical specification as per schedule of supply are to be submitted along with the quotation.
- If any license or permit is required, bidders must specify in their quotation and also state the authority to whom application is to be made
- The maximum period required for delivery of the articles should also be mentioned.
- The quotations will be opened at the prescribed time in the presence of the bidders or their authorized representatives who may wish to be present at that time.
- Acceptance of the quotation constitutes a concluded contract.
- CoEM reserves the right to cancel the order in case the items are not supplied within the stipulated period or non-fulfilment of contractual obligation

- Payment will be made only after the satisfactory supply, installation and submission of invoice in duplicate. In case of any defects, the material shall be replaced immediately prior to the release of the payment.
- The quotation should be addressed to;

*Superscription: Quotation – Electrical appliances and utensils*

Address:

**The Director,  
Centre of Excellence in Microbiome,  
First floor- RGCB Bio Innovation Center,  
KINFRA Film and Video Park, Chanthavila,  
Kazhakkootam, Thiruvananthapuram,  
Kerala-695 585.**

**DIRECTOR, CoEM**

**Place:** Thiruvananthapuram

**Date:** 15.05.2026

**SCHEDULE OF SUPPLY**

SL. No.	Description of the item(s)	Essential Specifications	Desirable Specifications	Quantity
1.	Refrigerator	<ul style="list-style-type: none"> <li>• Type: Single-door refrigerator</li> <li>• Installation Type: Freestanding</li> <li>• Capacity: Minimum 184 Litres</li> <li>• Energy Rating: 5 Star</li> <li>• Defrost System: Manual Defrost</li> <li>• Compressor Type: Non-inverter/standard compressor acceptable</li> <li>• Stabilizer Requirement: Stabilizer-free operation preferred</li> <li>• Convertible Feature: Not required</li> <li>• Base Drawer: Required</li> <li>• Exterior Body Material: Stainless steel finish/body</li> <li>• Door Handle: External door handle</li> <li>• Temperature Control/Display: Knob control located next to freezer compartment</li> <li>• Accessories to be provided: <ul style="list-style-type: none"> <li>○ Minimum 1 egg tray</li> <li>○ Minimum 1 ice tray</li> <li>○ User instruction manual</li> <li>○ Lock and key</li> </ul> </li> <li>• Minimum 1-year comprehensive product warranty</li> <li>• Minimum 10-year warranty on compressor</li> </ul>	-	1
2.	OTG (Oven Toaster Griller)	<ul style="list-style-type: none"> <li>• Type: Electric Oven Toaster Griller (OTG)</li> </ul>	-	1

		<ul style="list-style-type: none"> <li>• Capacity: Minimum 35 Litres</li> <li>• Functions Required: <ul style="list-style-type: none"> <li>○ Baking</li> <li>○ Roasting</li> <li>○ Grilling</li> <li>○ Warming/Reheating</li> </ul> </li> <li>• Power Consumption: Approximately 2100 W</li> <li>• Temperature Range: Adjustable temperature control from 90°C to 230°C</li> <li>• Timer: Minimum 60-minute timer with bell/alarm facility</li> <li>• Convection Feature: Turbo convection fan required</li> <li>• Rotisserie: Motorized rotisserie required</li> <li>• Oven Light: Internal oven lamp/light required</li> <li>• Control Type: Easy-to-use manual control knobs</li> <li>• Crumb Tray: Removable crumb tray required</li> </ul> <p><b>Approximate Dimensions</b></p> <ul style="list-style-type: none"> <li>• Product dimensions around: <ul style="list-style-type: none"> <li>○ Depth: 39.3 cm</li> <li>○ Width: 52 cm</li> <li>○ Height: 33 cm</li> </ul> </li> </ul> <p><b>Accessories to be Included</b></p> <ul style="list-style-type: none"> <li>• Bake tray</li> <li>• Wire rack</li> <li>• Tray handle</li> <li>• Rotisserie handle</li> <li>• Rotisserie set</li> <li>• Crumb tray</li> <li>• User manual</li> <li>• Minimum 2-year warranty (as per manufacturer terms and conditions)</li> </ul>		
3.	Microwave Oven	<ul style="list-style-type: none"> <li>• Type: Convection Microwave Oven</li> <li>• Capacity: Minimum 28 Litres</li> </ul>	<ul style="list-style-type: none"> <li>• Finish Type: Matte finish preferred</li> <li>• Rust-resistant body preferred</li> </ul>	1

		<ul style="list-style-type: none"> <li>• Installation Type: Countertop</li> <li>• Fuel Type: Electric</li> <li>• Microwave Output Power: Minimum 900 W</li> <li>• Convection Power Consumption: Approximately 1950 W</li> <li>• Grill Power Consumption: Approximately 1200 W</li> <li>• Voltage/Frequency: 230 V, 50 Hz</li> <li>• Microwave Power Levels: Minimum 5 levels</li> </ul> <p><b>Functional Requirements</b></p> <ul style="list-style-type: none"> <li>• Convection heating mode</li> <li>• Auto cook menu/programs</li> <li>• Auto defrost function</li> <li>• Timed cooking function</li> <li>• Warming/Reheating function</li> <li>• 360° motorized rotisserie</li> <li>• Turntable operation</li> <li>• Completion beeper/alarm facility</li> <li>• Child lock safety feature</li> </ul> <p><b>Construction and Design</b></p> <ul style="list-style-type: none"> <li>• Inner cavity: Stainless steel cavity</li> <li>• Door Type: Side swing door</li> <li>• Door Orientation: Left-side opening preferred</li> <li>• Control Type: Tact dial/manual electronic controls</li> </ul> <p><b>Approximate Dimensions</b></p> <ul style="list-style-type: none"> <li>• External dimensions approximately: <ul style="list-style-type: none"> <li>○ Width: 51 cm</li> <li>○ Height: 31 cm</li> <li>○ Depth: 52 cm</li> </ul> </li> <li>• Turntable Diameter: Approximately 12.6 inches</li> </ul> <p><b>Accessories to be Included</b></p> <ul style="list-style-type: none"> <li>• Glass turntable tray</li> <li>• Rotating ring</li> <li>• User manual</li> </ul>		
--	--	--	--	--

		<p><b>Warranty</b></p> <ul style="list-style-type: none"> <li>• Minimum 1-year manufacturer warranty on product (as per manufacturer terms and conditions)</li> </ul>		
4.	Mixer Grinder	<ul style="list-style-type: none"> <li>• Motor Type: Heavy-duty universal motor with double ball bearing</li> <li>• Motor Power: Minimum 900 Watts</li> <li>• Power Supply: 230–240 V AC, 50–60 Hz</li> <li>• Power Consumption: Approximately 900 Watts at maximum load</li> <li>• Duty Rating: Minimum 90 minutes continuous operation</li> <li>• Speed Control: <ul style="list-style-type: none"> <li>○ Minimum 3-speed rotary control switch</li> <li>○ Additional whipper/pulse button for momentary operation</li> </ul> </li> <li>• Motor Speed: <ul style="list-style-type: none"> <li>○ No-load speed up to approximately 22,000 RPM</li> </ul> </li> </ul> <p><b>Safety and Protection</b></p> <ul style="list-style-type: none"> <li>• Protection Class: Class I double insulated</li> <li>• Power Cord: <ul style="list-style-type: none"> <li>○ PVC insulated flex cord</li> <li>○ Approximate usable length: 2.15 metres</li> <li>○ 5 Amp, 3-pin plug top</li> </ul> </li> </ul> <p><b>Jars and Capacity</b></p> <ul style="list-style-type: none"> <li>• Blender Jar: Minimum 1500 ml capacity</li> <li>• Dry Grinding Jar: Minimum 1000 ml capacity</li> <li>• Chutney Grinding Jar: Minimum 500 ml capacity</li> </ul> <p><b>Physical Specifications</b></p> <ul style="list-style-type: none"> <li>• Approximate Dimensions (L × W × H):</li> </ul>	-	1

		<ul style="list-style-type: none"> <li>○ 49 cm × 22.5 cm × 35.5 cm</li> <li>• Approximate Net Weight with carton: <ul style="list-style-type: none"> <li>○ 6 kg</li> </ul> </li> <li>• Minimum 2-year warranty (as per manufacturer terms and conditions)</li> </ul>		
5	Induction cooktop	<ul style="list-style-type: none"> <li>• Type: Electric Induction Cooktop</li> <li>• Power Consumption: Minimum 1600 Watts</li> <li>• Control Type: Feather-touch/touch panel controls</li> <li>• Voltage Protection: Built-in automatic voltage regulator required</li> <li>• Timer Function: User preset timer facility required</li> <li>• Energy Efficiency: Power saver technology preferred</li> <li>• Cookware Compatibility: Suitable for induction-compatible base utensils</li> </ul> <p><b>Construction and Design</b></p> <ul style="list-style-type: none"> <li>• Cooktop Surface Material: Glass top</li> <li>• Product Dimensions (Approximate): <ul style="list-style-type: none"> <li>○ Length: 38.4 cm</li> <li>○ Width: 34.4 cm</li> <li>○ Height: 8 cm</li> </ul> </li> <li>• Minimum 1-year manufacturer warranty</li> </ul>	-	1
6	Electric kettle	<ul style="list-style-type: none"> <li>• Type: Electric Kettle</li> <li>• Capacity: Minimum 1.5 Litres</li> <li>• Body Material: Stainless steel body</li> <li>• Handle Type: Cool-touch insulated handle</li> <li>• Heating Element: Concealed heating element</li> <li>• Power Consumption: Approximately 1350 Watts</li> <li>• Operating Voltage: 230 V AC, 50 Hz</li> </ul>	-	1

		<p><b>Safety and Functional Features</b></p> <ul style="list-style-type: none"> <li>• Automatic shut-off after boiling</li> <li>• Dry boil protection feature</li> <li>• Double protection controller/safety protection</li> <li>• Overheat safety protection</li> <li>• Lid release button for easy opening</li> <li>• Spout with mesh filter</li> <li>• Light/power indicator</li> <li>• 360° rotating base for convenient handling</li> <li>• Max-Min water level marking</li> <li>• Cord winder/storage facility</li> </ul> <p><b>Electrical Specifications</b></p> <ul style="list-style-type: none"> <li>• Power Cord: <ul style="list-style-type: none"> <li>○ Approximate length: 1 metre</li> <li>○ 3-pin, 3-core power cord</li> <li>○ 100% copper wire conductor preferred</li> </ul> </li> </ul> <p><b>Physical Specifications</b></p> <ul style="list-style-type: none"> <li>• Approximate Product Dimensions: <ul style="list-style-type: none"> <li>○ 22 cm × 17 cm × 21.6 cm</li> </ul> </li> <li>• Approximate Net Weight: <ul style="list-style-type: none"> <li>○ 750 g</li> </ul> </li> </ul> <p><b>Warranty</b></p> <p>Minimum 1-year manufacturer warranty</p>		
7	Stainless Steel Saucepan	<ul style="list-style-type: none"> <li>• Type: Saucepan with handle</li> <li>• Capacity: Minimum 2.7 Litres</li> <li>• Material: Food-grade stainless steel</li> <li>• Handle: Heat-resistant side handle firmly fixed to body</li> <li>• Construction: Heavy-gauge and durable body suitable for regular use</li> <li>• Compatibility: Suitable for use on induction cooktops,</li> </ul>	<ul style="list-style-type: none"> <li>• Finish: Smooth and rust-resistant finish</li> </ul>	1

		gas stoves, and electric cooking surfaces		
8	Stainless Steel Coffee Strainer	<ul style="list-style-type: none"> <li>Type: Reusable coffee/tea strainer/filter</li> <li>Material: Food-grade stainless steel</li> <li>Construction: Fine mesh stainless steel filter suitable for coffee/tea filtration</li> <li>Handle: Heat-resistant handle or grip preferred</li> <li>Design: Easy-to-clean and reusable construction</li> <li>Compatibility: Suitable for regular household/commercial coffee/tea preparation</li> </ul>	<ul style="list-style-type: none"> <li>Finish: Rust-resistant and durable finish</li> </ul>	1
9	Stainless Steel Mug	<ul style="list-style-type: none"> <li>Type: Stainless steel mug/tumbler</li> <li>Capacity: Minimum 500 ml</li> <li>Material: Food-grade stainless steel</li> <li>Construction: Double-wall or insulated construction preferred</li> <li>Handle: Ergonomic handle preferred (if applicable to model)</li> <li>Usage: Suitable for hot and cold beverages</li> </ul>	<ul style="list-style-type: none"> <li>Finish: Rust-resistant and durable finish</li> <li>Design: Lightweight and easy-to-clean construction</li> </ul>	1
10	Stainless steel spoons	<ul style="list-style-type: none"> <li>Material: Food-grade stainless steel</li> <li>Finish: Smooth, rust-resistant, and durable finish</li> <li>Construction: Strong and suitable for regular kitchen use</li> <li>Quantity: Set of 6 spoons/serving utensils</li> </ul> <p><b>Set Composition</b> The set shall include the following items or equivalent:</p> <ol style="list-style-type: none"> <li>Tea spoon</li> <li>Soup spoon</li> <li>Oval spoon</li> </ol>		6

		4. Basting spoon/serving spoon 5. Ladle Quint ladle or equivalent serving utensil		
--	--	---	--	--

**Note: The items must be of superior quality and must comply with the standards of leading manufacturers like LG, Glen, Prestige, Whirlpool, Borosil, Lloyd, Kraft, Apaar, or its equivalents.**

**ANNEXURE-I**

[To be submitted on letter head of the supplier]

**QUOTATION / BID****PART A**

1	Name of the firm	
2	Quotation No.	CoEM/Purchase/Misc/Non-Con/2026/04-QTN
3	Name and Address for Correspondence	
4	Contact number : (a)	
	(b)	
5	E-mail ID	
6	Total no. of pages in the document (to be filled mandatorily)	
7	PAN (Copy to be enclosed mandatorily)	Yes / No
8	GST Number (Copy to be enclosed mandatorily)	Yes / No
9	Is a license or permit required for the supply of items specified in the schedule of supply? If yes, mention the authority to apply to	
10	No. of days within which the items can be delivered to CoEM (Maximum: 15 days)	

**Place:****Signature****Date:****Name of the authorised Signatory.**

(Seal of the Company /Firm)

**PART B**

<b>SL. No.</b>	<b>Description of the item(s)</b>	<b>Essential Specifications</b>	<b>Desirable Specifications</b>	<b>Qty. (Nos.)</b>	<b>Model No.</b>	<b>Make</b>	<b>Total price INR</b>	<b>GST (@ Rate)</b>	<b>Amount</b>
1.	Refrigerator	<ul style="list-style-type: none"> <li>• Type: Single-door refrigerator</li> <li>• Installation Type: Freestanding</li> <li>• Capacity: Minimum 184 Litres</li> <li>• Energy Rating: 5 Star</li> <li>• Defrost System: Manual Defrost</li> <li>• Compressor Type: Non-inverter/standard compressor acceptable</li> <li>• Stabilizer Requirement: Stabilizer-free operation preferred</li> <li>• Convertible Feature: Not required</li> <li>• Base Drawer: Required</li> <li>• Exterior Body Material: Stainless steel finish/body</li> <li>• Door Handle: External door handle</li> <li>• Temperature Control/Display: Knob control located next to freezer compartment</li> <li>• Accessories to be provided: <ul style="list-style-type: none"> <li>○ Minimum 1 egg tray</li> <li>○ Minimum 1 ice tray</li> </ul> </li> </ul>	-						

		<ul style="list-style-type: none"> <li>○ User instruction manual</li> <li>○ Lock and key</li> <li>• Minimum 1-year comprehensive product warranty</li> <li>• Minimum 10-year warranty on compressor</li> </ul>							
2.	OTG (Oven Toaster Griller)	<ul style="list-style-type: none"> <li>• Type: Electric Oven Toaster Griller (OTG)</li> <li>• Capacity: Minimum 35 Litres</li> <li>• Functions Required: <ul style="list-style-type: none"> <li>○ Baking</li> <li>○ Roasting</li> <li>○ Grilling</li> <li>○ Warming/Reheating</li> </ul> </li> <li>• Power Consumption: Approximately 2100 W</li> <li>• Temperature Range: Adjustable temperature control from 90°C to 230°C</li> <li>• Timer: Minimum 60-minute timer with bell/alarm facility</li> <li>• Convection Feature: Turbo convection fan required</li> <li>• Rotisserie: Motorized rotisserie required</li> <li>• Oven Light: Internal oven lamp/light required</li> <li>• Control Type: Easy-to-use manual control knobs</li> <li>• Crumb Tray: Removable crumb tray required</li> </ul> <p><b>Approximate Dimensions</b></p> <ul style="list-style-type: none"> <li>• Product dimensions around:</li> </ul>	-						

		<ul style="list-style-type: none"> <li>○ Depth: 39.3 cm</li> <li>○ Width: 52 cm</li> <li>○ Height: 33 cm</li> </ul> <p><b>Accessories to be Included</b></p> <ul style="list-style-type: none"> <li>• Bake tray</li> <li>• Wire rack</li> <li>• Tray handle</li> <li>• Rotisserie handle</li> <li>• Rotisserie set</li> <li>• Crumb tray</li> <li>• User manual</li> <li>• Minimum 2-year warranty (as per manufacturer terms and conditions)</li> </ul>							
3.	Microwave Oven	<ul style="list-style-type: none"> <li>• Type: Convection Microwave Oven</li> <li>• Capacity: Minimum 28 Litres</li> <li>• Installation Type: Countertop</li> <li>• Fuel Type: Electric</li> <li>• Microwave Output Power: Minimum 900 W</li> <li>• Convection Power Consumption: Approximately 1950 W</li> <li>• Grill Power Consumption: Approximately 1200 W</li> <li>• Voltage/Frequency: 230 V, 50 Hz</li> <li>• Microwave Power Levels: Minimum 5 levels</li> </ul> <p><b>Functional Requirements</b></p> <ul style="list-style-type: none"> <li>• Convection heating mode</li> <li>• Auto cook menu/programs</li> <li>• Auto defrost function</li> <li>• Timed cooking function</li> </ul>	<ul style="list-style-type: none"> <li>• Finish Type: Matte finish preferred</li> <li>• Rust-resistant body preferred</li> </ul>						

		<ul style="list-style-type: none"> <li>• Warming/Reheating function</li> <li>• 360° motorized rotisserie</li> <li>• Turntable operation</li> <li>• Completion beeper/alarm facility</li> <li>• Child lock safety feature</li> </ul> <p><b>Construction and Design</b></p> <ul style="list-style-type: none"> <li>• Inner cavity: Stainless steel cavity</li> <li>• Door Type: Side swing door</li> <li>• Door Orientation: Left-side opening preferred</li> <li>• Control Type: Tact dial/manual electronic controls</li> </ul> <p><b>Approximate Dimensions</b></p> <ul style="list-style-type: none"> <li>• External dimensions approximately: <ul style="list-style-type: none"> <li>○ Width: 51 cm</li> <li>○ Height: 31 cm</li> <li>○ Depth: 52 cm</li> </ul> </li> <li>• Turntable Diameter: Approximately 12.6 inches</li> </ul> <p><b>Accessories to be Included</b></p> <ul style="list-style-type: none"> <li>• Glass turntable tray</li> <li>• Rotating ring</li> <li>• User manual</li> </ul> <p><b>Warranty</b></p> <ul style="list-style-type: none"> <li>• Minimum 1-year manufacturer warranty on product (as per manufacturer terms and conditions)</li> </ul>							
4.	Mixer Grinder	<ul style="list-style-type: none"> <li>• Motor Type: Heavy-duty universal motor with double ball bearing</li> <li>• Motor Power: Minimum 900 Watts</li> <li>• Power Supply: 230–240 V AC, 50–60 Hz</li> <li>• Power Consumption: Approximately 900</li> </ul>							

		<p>Watts at maximum load</p> <ul style="list-style-type: none"> <li>• Duty Rating: Minimum 90 minutes continuous operation</li> <li>• Speed Control: <ul style="list-style-type: none"> <li>○ Minimum 3-speed rotary control switch</li> <li>○ Additional whipper/pulse button for momentary operation</li> </ul> </li> <li>• Motor Speed: <ul style="list-style-type: none"> <li>○ No-load speed up to approximately 22,000 RPM</li> </ul> </li> </ul> <p><b>Safety and Protection</b></p> <ul style="list-style-type: none"> <li>• Protection Class: Class I double insulated</li> <li>• Power Cord: <ul style="list-style-type: none"> <li>○ PVC insulated flex cord</li> <li>○ Approximate usable length: 2.15 metres</li> <li>○ 5 Amp, 3-pin plug top</li> </ul> </li> </ul> <p><b>Jars and Capacity</b></p> <ul style="list-style-type: none"> <li>• Blender Jar: Minimum 1500 ml capacity</li> <li>• Dry Grinding Jar: Minimum 1000 ml capacity</li> <li>• Chutney Grinding Jar: Minimum 500 ml capacity</li> </ul> <p><b>Physical Specifications</b></p> <ul style="list-style-type: none"> <li>• Approximate Dimensions (L × W × H): <ul style="list-style-type: none"> <li>○ 49 cm × 22.5 cm × 35.5 cm</li> </ul> </li> <li>• Approximate Net Weight with carton: <ul style="list-style-type: none"> <li>○ 6 kg</li> </ul> </li> <li>• Minimum 2-year warranty (as per manufacturer terms and conditions)</li> </ul>							
--	--	--	--	--	--	--	--	--	--

5	Induction cooktop	<ul style="list-style-type: none"> <li>• Type: Electric Induction Cooktop</li> <li>• Power Consumption: Minimum 1600 Watts</li> <li>• Control Type: Feather-touch/touch panel controls</li> <li>• Voltage Protection: Built-in automatic voltage regulator required</li> <li>• Timer Function: User preset timer facility required</li> <li>• Energy Efficiency: Power saver technology preferred</li> <li>• Cookware Compatibility: Suitable for induction-compatible base utensils</li> </ul> <p><b>Construction and Design</b></p> <ul style="list-style-type: none"> <li>• Cooktop Surface Material: Glass top</li> <li>• Product Dimensions (Approximate): <ul style="list-style-type: none"> <li>○ Length: 38.4 cm</li> <li>○ Width: 34.4 cm</li> <li>○ Height: 8 cm</li> </ul> </li> <li>• Minimum 1-year manufacturer warranty</li> </ul>							
6	Electric kettle	<ul style="list-style-type: none"> <li>• Type: Electric Kettle</li> <li>• Capacity: Minimum 1.5 Litres</li> <li>• Body Material: Stainless steel body</li> <li>• Handle Type: Cool-touch insulated handle</li> </ul>							

- Heating Element:  
Concealed heating element
- Power Consumption:  
Approximately 1350 Watts
- Operating Voltage:  
230 V AC, 50 Hz

**Safety and Functional Features**

- Automatic shut-off after boiling
- Dry boil protection feature
- Double protection controller/safety protection
- Overheat safety protection
- Lid release button for easy opening
- Spout with mesh filter
- Light/power indicator
- 360° rotating base for convenient handling
- Max-Min water level marking
- Cord winder/storage facility

**Electrical Specifications**

- Power Cord:
  - Approximate length: 1 metre
  - 3-pin, 3-core power cord
  - 100% copper wire conductor preferred

**Physical Specifications**

- Approximate Product Dimensions:
  - 22 cm × 17 cm × 21.6 cm
- Approximate Net Weight:

		<ul style="list-style-type: none"> <li>○ 750 g</li> </ul> <p><b>Warranty</b> Minimum 1-year manufacturer warranty</p>							
7	Stainless Steel Saucepan	<ul style="list-style-type: none"> <li>• Type: Saucepan with handle</li> <li>• Capacity: Minimum 2.7 Litres</li> <li>• Material: Food-grade stainless steel</li> <li>• Handle: Heat-resistant side handle firmly fixed to body</li> <li>• Construction: Heavy-gauge and durable body suitable for regular use</li> <li>• Compatibility: Suitable for use on induction cooktops, gas stoves, and electric cooking surfaces</li> </ul>	<ul style="list-style-type: none"> <li>• Finish: Smooth and rust-resistant finish</li> </ul>						
8	Stainless Steel Coffee Strainer	<ul style="list-style-type: none"> <li>• Type: Reusable coffee/tea strainer/filter</li> <li>• Material: Food-grade stainless steel</li> <li>• Construction: Fine mesh stainless steel filter suitable for coffee/tea filtration</li> <li>• Handle: Heat-resistant handle or grip preferred</li> <li>• Design: Easy-to-clean and reusable construction</li> <li>• Compatibility: Suitable for regular household/commercial coffee/tea preparation</li> </ul>	<ul style="list-style-type: none"> <li>• Finish: Rust-resistant and durable finish</li> </ul>						
9	Stainless Steel Mug	<ul style="list-style-type: none"> <li>• Type: Stainless steel mug/tumbler</li> <li>• Capacity: Minimum 500 ml</li> </ul>	<ul style="list-style-type: none"> <li>• Finish: Rust-resistant and</li> </ul>						

		<ul style="list-style-type: none"> <li>• Material: Food-grade stainless steel</li> <li>• Construction: Double-wall or insulated construction preferred</li> <li>• Handle: Ergonomic handle preferred (if applicable to model)</li> <li>• Usage: Suitable for hot and cold beverages</li> </ul>	<ul style="list-style-type: none"> <li>• Design: Lightweight and easy-to-clean construction</li> </ul>							
10	Stainless steel spoons	<ul style="list-style-type: none"> <li>• Material: Food-grade stainless steel</li> <li>• Finish: Smooth, rust-resistant, and durable finish</li> <li>• Construction: Strong and suitable for regular kitchen use</li> <li>• Quantity: Set of 6 spoons/serving utensils</li> </ul> <p><b>Set Composition</b> The set shall include the following items or equivalent:</p> <ol style="list-style-type: none"> <li>6. Tea spoon</li> <li>7. Soup spoon</li> <li>8. Oval spoon</li> <li>9. Basting spoon/serving spoon</li> <li>10. Ladle Quint ladle or equivalent serving utensil</li> </ol>								
		Total Amount (Inclusive of Taxes): _____								
		Total Amount in words (Inclusive of Taxes): _____								

**Place:****Signature:****Date:****Name of the authorised Signatory:**

( Seal of the Company/ Firm)

**ANNEXURE II**

[To be submitted on letter head of the supplier]

To,  
**The Director**  
**Centre of Excellence in Microbiome**

**UNDERTAKING BY THE BIDDER**

I/We \_\_\_\_\_ have carefully gone through the various terms and conditions mentioned in the quotation notice CoEM/Purchase/Misc/Non-Con/2026/04-QTN Dated 15-05-2026 including all annexures, for the supply of electrical appliances and utensils.

I hereby sign this undertaking as token of our acceptance of various conditions mentioned in quotation notice.

Place: \_\_\_\_\_ (Authorised Name & Signatory of Agency/firm with seal)

Date: